


AV2000 Gigabit Powerline ac Wi-Fi Kit

AC1200 Wi-Fi that Breaks Through Walls









Highlights

2 × 2 MIMO for More Throughput over Powerline

2 × 2 MIMO technology is like adding an extra lane on a highway. It establishes multiple simultaneous connections so you can enjoy 2× faster, more stable powerline speeds.

SISO Single-In-Single-Out \bowtie



Wi-Fi Auto-Sync for a Unified, Powerful Network

Powerline extenders simply copy your router's Wi-Fi settings and apply any changes across the secure powerline network with Wi-Fi Clone and Wi-Fi Move.



Highlights

Fast Wi-Fi for Every Need in Every Room

300Mbps (2.4GHz) is ideal for browsing the web and video chatting, while 867Mbps (5GHz) is perfect for HD streaming and lag-free gaming.

300Mbps 2.4GHz 867Mbps 5GHz

Gigabit Ethernet for Fast Connections

The Gigabit Ethernet ports provide reliable high-speed wired connections for game consoles, smart TVs, and NAS.





Features



- · Wireless AC Standard AC1200 dual band Wi-Fi (867Mbps on 5GHz & 300Mbps on 2.4GHz) allows streaming, gaming, emailing, browsing and posting on your wireless devices, throughout your home
- · HomePlug AV2 Provides up to 2000Mbps high-speed data transmission over a home's existing electrical wiring
- · Gigabit Ethernet Ports Provide reliable high-speed wired connection for game consoles, smart TVs, and NAS
- · Speed Optimization Supports IGMP managed multicast IP transmission, optimizing IPTV streaming



Range

· 300 meters Range – Up to 300 meters / 1000 feet range over the existing household power circuit



- · Wi-Fi Auto-Sync Simply copy your router's Wi-Fi settings and apply any changes across the secure powerline network with Wi-Fi Clone and Wi-Fi Move
- · TP-Link tpPLC Allows you to easily manage your network using the intuitive tpPLC App or the tpPLC Utility
- · Plug, Pair, and Play Quickly set up a secured Powerline network



- · Pair Button Provides a connection with 128-bit AES encryption, at the touch of "Pair" button
- · Parental Controls Manage when connected devices can access the internet
- · Encryptions for Secure Network WPA-PSK/WPA2-PSK encryptions provide active protection against security threats



· 2X2 MIMO with Beamforming – Establish simultaneous connections, providing more stable connections and expansive coverage

Specifications

Hardware

· Transmission Speeds:

Powerline: up to 2000 Mbps

Ethernet: 10/100/1000 Mbps

· Standards and Protocols:

HomePlug AV2, HomePlug AV, IEEE 1901, IEEE 802.3, IEEE 802.3u, IEEE 802.3, IEEE 802.3ab, IEEE 802.11b/g/n (2.4GHz), IEEE 802.11a/n/ac (5GHz)

· Interface: TL-WPA9610: 1 Ethernet Port; TL-PA9020: 2 Ethernet Ports

· Plug Type: UK

· Button: Pair, Reset, Wi-Fi Clone, LED On/Off

· LED Indicator: Power, Powerline, Ethernet, Wi-Fi (2.4GHz), Wi-Fi (5GHz)

· Dimensions (W x D x H):

TL-WPA9610: $5.5 \times 3.1 \times 1.9$ in $(140.5 \times 77.5 \times 48$ mm)

TL-PA9020: 4.85 × 2.68 × 1.18 in (123 × 68 × 30 mm)

· IGMP: IGMP v1/v2/v3

· Power Consumption:

TL-WPA9610: Maximum: 14W, Typical: 10W, Standby: 7W

TL-PA9020: Maximum: 5.8W, Typical: 5.6W, Standby: <0.6W

· Range: Up to 300 meters/1000 feet over existing electrical wiring

· Compatibility:

Compatible with all HomePlug AV & AV2 standard powerline adapters



Specifications

Software

· Modulation Technology: OFDM

· Security:

Wireless: WPA-PSK / WPA2-PSK, WEP Encrptions

Powerline: 128-bit AES Encryption

· Management Tools:

tpPLC: Scan the QR code to download TP-Link tpPLC App







Or download new tpPLC Utility on PCs: www.tp-link.com.

For more information, please visit http://uk.tp-link.com/products/details/TL-WPA9610-KIT.html

Others

· Package Contents

TL-WPA9610 × 1, TL-PA9020 × 1

Ethernet Cable × 2

Quick Installation Guide

Certification

CE, RoHS

· System Requirements

Windows 10/8.1/8/7/Vista/XP, Mac OS, Linux

· System Requirements for tpPLC Utility

Windows 10/8.1/8/7/Vista/XP and Mac OS X (10.7 or later)

· Environment

Operating Temperature: 0°C~40°C (32°F~104°F)

Storage Temperature: -40°C~70°C (-40°F~158°F)

Operating Humidity: 10%~90% non-condensing

Storage Humidity: 5%~90% non-condensing

^{*} Listed AV and Wi-Fi speeds refer to the theoretical maximum physical-layer data transfer rate. Actual data speeds vary and are influenced by the home's Wi-Fi/electrical/physical environment, and if adapters are placed on the same home circuit.

Specifications are subject to change without notice. TP-Link Technologies Co., Ltd. Other brands and product names are trademarks or registered trademarks or registered trademarks or registered trademarks.